

EUROPEAN LAMINATES CONFERENCE

**9-10 April 2008
Vienna, Austria**

Conference Proceedings

Edited by

Kurt Fischer

Technical Conference Management

Technical Conference Management,
Dr. Kurt Fischer KEG

Fasangasse 1
A-2103 Langenzersdorf, Austria

Phone: +43 (0)2244 33870-11
Fax: +43 (0)2244 33870-20

Email: office@tcman.at
Internet: www.tcman.at

Cover design: W & W Grafik und Design GmbH, www.wwgrafik.at
Print: Trias Print Consulting, www.trias.at

Copyright © 2008 by Technical Conference Management, all rights reserved.

Table of Contents

EB cured surfaces in HPL and CPL: Possibilities and properties Klaus Wittmann, <i>DTS Systemoberflächen</i>	5
Innovations in decor printing – a compendium Robert David, <i>Interprint</i>	9
Rapid manufacturing of high gloss melamine films Andreas Kandelbauer ^{1,2} , Hubertus Burger-Scheidlin ² , Bernhard Hölbling ³ ¹ <i>Institute of Wood Science and Technology, University of Natural Resources and Applied Life Sciences, Vienna, Austria</i> ² <i>Kompetenzzentrum Holz GmbH Wood Kplus, Wood Carinthian Competence Centre W3C, Klagenfurterstrasse 87-89, 9300 St. Veit an der Glan, Austria</i> ³ <i>Impress Decor Austria GmbH, St. Veit an der Glan, Austria</i>	17
Using the B-stage test to guide the production of impregnated low pressure laminate paper David Rigg ¹ and Bogdan Siwanowicz ² ¹ <i>Technical Consultant- Resin and Process Technology</i> ² <i>La-con Spa (Fantoni Group)</i>	23
Laminates, decorative surfaces Leonid Barash, <i>Slotex</i>	35
How to predict the real life performance of TiO₂ in decor paper: An integrated approach Yannick Dewilde, <i>Millennium Inorganic Chemicals – A Crystal Company</i>	55
UV-photogreying of TiO₂ pigments in paper laminates Volker Schmitt, <i>Kronos International</i>	65
Bio resin from CNSL for laminates Manojit Das, <i>Laminate Technologist, India</i>	73
Automatic in-line monitoring of the visual appearance in analogue, direct and digital decor printing with virtual computer-based reference proofs Robert Massen, Jörg Eberhardt, Christoph Schmitt and Stefan Asal, <i>Baumer Inspection</i>	75
In-line measurement of water content in decor and overlay paper using microwave resonance technology Jörn Döscher and Christian Grohs, <i>Döscher & Döscher</i>	83
New extrudable melamine resins for performance WPC Ulf Panzer ¹ , Uwe Müller ² , Andreas Haider ² , Andreas Endesfelder ¹ and Manfred Rätzsch ¹ ¹ <i>Agrolinz Melamine International</i> ² <i>Kompetenzzentrum Holz (Wood Kplus)</i>	89
Breakthrough in durable dirt-repellent laminates: How to combine durability with dirt repellency Berthold Dombo, <i>DSM Melamine</i>	93
Technological update from the Berndorf Hueck group Otto Stadler, <i>Berndorf Hueck</i>	95

Overview of the Hymmen direct multi-color printing concepts on wood and wood composite panels Joachim Voigt, <i>Hymmen</i>	105
Digital printing process on narrow edges – the HOMAG printline edge printing machine Ludwig Albrecht, <i>Homag</i>	115
Printing technologies in combination with KLEIBERIT HotCoating® Jens Fandrey, <i>Kleiberit</i>	125
Weather resistance – the primary function of exterior cladding Keith Phillips, <i>Trespa</i>	133